

## **IN THE CLAIMS:**

Please amend claims 1, 5, 7, 10 and 12 as shown below, in which deleted terms are indicated with strikethrough and/or double brackets, and added terms are indicated with underscoring. Please cancel claims 2, 6 and 11 without prejudice and without dedication or abandonment of the subject matter thereof; and please add new claims 16 and 17. The following list of claims replaces all previous versions, and listings of claims in the application.

1. (Currently amended) An electronic key system for a vehicle including a controller mounted in the vehicle and a portable transceiver carried by a user of the vehicle,

the vehicle comprising a locking unit which locks the vehicle so that use of the vehicle is not possible until a lock release command is received, and

wherein the controller comprises:

a transmitter that outputs a request signal to the portable transceiver in response to an ON operation of a predetermined switch, the predetermined switch previously determined from among a plurality of switches positioned in the vicinity of the user when the user boards the vehicle;

a receiver which receives an acknowledgement signal, in response to the request signal, from the portable transceiver; [[and]]

a drive unit which, when the acknowledgement signal is compared and judged to be a request from the user, outputs a lock release command to the locking unit;

an interrupting unit which interrupts, if the vehicle is not started for a specified period of time, a supply of power to a transmission circuit and a receiving circuit, inside the controller, that perform communication, the transmission circuit outputting the request signal to the portable

transceiver, the receiving circuit receiving the acknowledgement signal, in response to the request signal, from the portable transceiver; and

an interrupting unit controller which permits a switching unit to supply power to the transmission circuit and the receiving circuit in response to an ON operation of the predetermined switch among the plurality of switches positioned in the vicinity of the user when the user boards the vehicle.

2. (Canceled).

3. (Previously presented) The electronic key system for a vehicle according to claim 1, wherein the plurality of switches are operational switches used for starting the engine of the vehicle, providing safety during travel, and stopping the vehicle.

4. (Previously presented) The electronic key system for a vehicle according to claim 1, wherein a switch for detecting that the user has boarded the vehicle is included as one of the plurality of switches.

5. (Currently amended) An electronic key system for a vehicle comprising a controller mounted in the vehicle and a portable transmitter carried by a user of the vehicle,

the vehicle containing a locking unit which locks the vehicle so that the vehicle cannot be used until a lock release command is received,

the portable transmitter comprising a transmitter unit that outputs a request signal to the controller in response to operation input by the user, and

wherein the controller comprises:

a receiver which receives a request signal from the portable transmitter in response to an ON operation of a predetermined switch, the predetermined switch being previously identified from among a plurality of switches positioned in the vicinity of the user when the user boards the vehicle; [[and]]

a drive unit which outputs a lock release command to the locking unit when the request signal is compared and judged to be a request from the user, ~~outputting a lock release command to the locking unit;~~

an interrupting unit which interrupts, if the vehicle is not started for a specified period of time, a supply of power to a receiving circuit inside the controller, that performs communication and which receives the request signal from the portable transmitter; and

an interrupting unit controller which permits the interrupting unit to provide power to the receiving circuit in response to an ON operation of the predetermined switch among the plurality of switches positioned in the vicinity of the user when the user boards the vehicle.

6. (Canceled).

7. (Currently amended) ~~The electronic key system for a vehicle according to claim 5, further comprising:~~

An electronic key system for a vehicle comprising a controller mounted in the vehicle and a portable transmitter carried by a user of the vehicle,

the vehicle containing a locking unit which locks the vehicle so that the vehicle cannot be used until a lock release command is received,

the portable transmitter comprising a transmitter unit that outputs a request signal to the controller in response to operation input by the user, and

wherein the controller comprises:

a receiver which receives a request signal from the portable transmitter in response to an ON operation of a predetermined switch, the predetermined switch being previously identified from among a plurality of switches positioned in the vicinity of the user when the user boards the vehicle;

a drive unit which outputs a lock release command to the locking unit when the request signal is compared and judged to be a request from the user;

a switching unit which permits an intermittent supply of power to be provided to ~~at least circuits~~ a receiving circuit inside the controller, that performs communication and which receives the request signal from the portable transmitter, if the vehicle is not started for a predetermined period of time; and

a switching unit controller which permits the switching unit to provide a normal supply of power to the ~~circuits~~ receiving circuit in response to ON operation of the predetermined switch when the user boards the vehicle.

8. (Previously presented) The electronic key system for a vehicle according to claim 5, wherein the plurality of switches are operational switches used for starting the engine of the vehicle, providing safety during travel, and stopping the vehicle.

9. (Previously presented) The electronic key system for a vehicle according to claim 5, wherein a switch for detecting that the user has boarded the vehicle is included as one of the plurality of

switches.

10. (Currently amended) An electronic key system for a vehicle including a controller mounted in the vehicle and a portable transceiver carried by a user of the vehicle,

the vehicle comprising a locking unit which locks the vehicle so that use of the vehicle is not possible until a lock release command is received, and

wherein the controller comprises:

a transmitter that outputs a request signal to the portable transceiver in response to an ON operation of a switch, the switch selectable from among a plurality of switches positioned in the vicinity of the user when the user boards the vehicle;

a receiver which receives an acknowledgement signal, in response to the request signal, from the portable transceiver; [[and]]

a drive unit which, when the acknowledgement signal is compared and judged to be a request from the user, outputs a lock release command to the locking unit;

an interrupting unit which prevents, if the vehicle is not started for a specified period of time, the supply of power to a transmission circuit and a receiving circuit, inside the controller, that perform communication, the transmission circuit outputting the request signal to the portable transceiver, the receiving circuit receiving the acknowledgement signal, in response to the request signal, from the portable transceiver; and

an interrupting unit controller which permits the interrupting unit to provide power to the transmission circuit and the receiving circuit in response to an ON operation of the switch when the user boards the vehicle.

11. (Canceled).

12. (Currently amended) The electronic key system for a vehicle according to claim 10, further comprising:

a switching unit which permits an intermittent supply of power to be provided to at least ~~circuits~~ the transmission circuit and the receiving circuit, inside the controller, that perform communication if the vehicle is not started for a specified period of time; and

a switching unit controller which permits the switching unit to provide a normal supply of power to the ~~circuits~~ the transmission circuit and the receiving circuit in response to the ON operation of the switch when the user boards the vehicle.

13. (Previously presented) The electronic key system for a vehicle according to claim 10 wherein the switch is located at an approximate center of the vehicle.

14. (Previously presented) The electronic key system for a vehicle according to claim 10 wherein the switch is selected from the group comprising a lighting dimmer switch, a clutch switch, an indicator switch, a horn switch, and a brake switch.

15. (Previously presented) The electronic key system for a vehicle according to claim 10 wherein the switch is located on a steering mechanism of the vehicle.

16. (New) The electronic key system for a vehicle according to claim 7, wherein the plurality of switches are operational switches used for starting the engine of the vehicle, providing safety

during travel, and stopping the vehicle.

17. (New) The electronic key system for a vehicle according to claim 7, wherein a switch for detecting that the user has boarded the vehicle is included as one of the plurality of switches.